

PORTABLE SAWS

Contents

	Page
CIRCULAR SAWS	3
MITRE SAWS	5
TABLE SAWS	9
FLIP OVER SAWS	11
COMBINATION SAWS	11
CIRCULAR SAW BLADES	12
JIGSAWS	13
JIGSAW BLADES	16
RECIPROCATING SAWS	19
RECIPROCATING SAW BLADES	20
ALLIGATOR SAWS	21
ALLIGATOR SAW BLADES	22
CHAINSAWS	23
HEDGE TRIMMERS	23



Draper Circular Saw

DIY circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.

PT185 Circular Saw

Stock No	Voltage	Power Input	Price
195680	230 V	1300 W	49.20
Blade Diameter	185 mm		
Bore Diameter	16 mm		
Max Cut at 90°	65 mm		
Max Cut at 45°	46 mm		
No Load Speed	4500 rpm		
Weight	4.5 kg		

Replacement Blade. TCT blade for cutting wood.

Stock No	Diameter x Bore	No. of Teeth	Price
089870	185 x 16	30 T	7.74



Draper Circular Saw

DIY circular saw. Features include

- Supplied with two 24 teeth TCT blades.
- Soft grip handle.
- Rip fence.
- One year guarantee.

PT1600K Circular Saw

Stock No	Voltage	Power Input	Price
195682	230 V	1600 W	68.67
Blade Diameter	185 mm		
Bore Diameter	20 mm		
Max Cut at 90°	63 mm		
Max Cut at 45°	45 mm		
No Load Speed	5000 rpm		
Weight	5.4 kg		

Replacement Blades

Stock No	Diameter x Bore	No. of Teeth	Price
089875	185 x 20 mm	20 T	6.59
089880	185 x 20 mm	40 T	8.20



Makita Circular Saw

Industrial quality circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.

5604R Circular Saw

Stock No	Voltage	Power Input	Price
192798	110 V	950 W	85.15
192796	240 V	950 W	85.15
Blade Diameter	165 mm		
Bore Diameter	20 mm		
Max Cut at 90°	54 mm		
Max Cut at 45°	35 mm		
No Load Speed	5000 rpm		
Weight	3.6 kg		



Makita Circular Saw

Industrial quality circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.
- Supplied in carry case.

5704RK Circular Saw

Stock No	Voltage	Power Input	Price
192810	110 V	1200 W	111.15
192800	240 V	1200 W	111.15
Blade Diameter	190 mm		
Bore Diameter	30 mm		
Max Cut at 90°	66 mm		
Max Cut at 45°	46 mm		
No Load Speed	4900 rpm		
Weight	4.6 kg		



Makita Circular Saw

Industrial quality circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.

5017RKB Circular Saw

Stock No	Voltage	Power Input	Price
192814	110 V	1400 W	156.00
192812	240 V	1400 W	156.00
Blade Diameter	190 mm		
Bore Diameter	30 mm		
Max Cut at 90°	66 mm		
Max Cut at 45°	46 mm		
No Load Speed	4800 rpm		
Weight	5.5 kg		



Makita Circular Saw

Industrial quality circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.
- Supplied in carry case.
- Soft start.
- Electronic brake.

5903RK Circular Saw

Stock No	Voltage	Power Input	Price
192830	110 V	1550 W	204.75
192820	240 V	1550 W	204.75
Blade Diameter	235 mm		
Bore Diameter	30 mm		
Max Cut at 90°	85 mm		
Max Cut at 45°	64 mm		
No Load Speed	4500 rpm		
Weight	7.6 kg		



Makita Circular Saw

Industrial quality circular saw. Features include

- TCT saw blade.
- Rip fence.
- One year guarantee.
- Safety clutch.
- Soft start.
- Electronic brake.

5103R Circular Saw

Stock No	Voltage	Power Input	Price
192834	110 V	2100 W	311.35
192832	240 V	2100 W	311.35

Blade Diameter	270 mm
Bore Diameter	30 mm
Max Cut at 90°	100 mm
Max Cut at 45°	73 mm
No Load Speed	4000 rpm
Weight	9.4 kg



Bosch Circular Saw

Powerful, robust, industrial quality, circular saw. Features include

- Compact tool design.
- Lock-on switch can be operated from both sides.
- Quick-clamping depth adjustment lever.
- Closed aluminium die-cast pendulum guard can withstand being dropped onto a hard floor.
- Aluminium base plate can be easily straightened if it has been deformed.
- Integrated rail guide in base plate for accurate sawing with a guide rail.
- Turbo blower for dust-free view of the score line.
- Optimised deflector diverts wood chips away from work surface.
- TCT saw blade (2 608 641 170).
- Dust extraction adaptor (1 608 005 008).
- Parallel guide (1 608 190 007).
- Three year guarantee.

GKS 55 Circular Saw

Stock No	Voltage	Power Input	Price
191830	110 V	1200 W	150.00
191832	240 V	1200 W	150.00

Blade Diameter	160 mm
Bore Diameter	20 mm
Max Cut at 90°	55 mm
Max Cut at 45°	38 mm
No Load Speed	5200 rpm
Weight	3.5 kg

Bosch Circular Saw CONTINUED >

Guide Rails. Suitable for GKS55, GKS65 and GKS65CE circular saws. Two lengths of guide rails are available. A connector is also available for joining two guide rails. (Clamps are not included with the guide rails)

Stock No	Description	Price
191843	700 mm Guide Rail	57.04
191844	1400 mm Guide Rail	86.74
191845	Guide Rail Connector	9.74



Bosch Circular Saw

Powerful, robust, industrial quality, circular saw.

Features include

- Compact tool design.
- Lock-on switch can be operated from both sides.
- Quick-clamping depth adjustment lever.
- Closed aluminium die-cast pendulum guard can withstand being dropped onto a hard floor.
- Aluminium base plate can be easily straightened, if it has been deformed.
- Integrated rail guide in base plate for accurate sawing with a guide rail.
- Turbo blower for dust-free view of the score line.
- Optimised deflector diverts wood chips away from work surface.
- Plunge ready as standard (without riving knife).
- TCT saw blade (2 608 641 184).
- Dust extraction adaptor (2 610 925 244).
- Parallel guide (1 608 190 007).
- Carrying bag.
- Three year guarantee.

GKS 65 Circular Saw

Stock No	Voltage	Power Input	Price
191834	110 V	1600 W	148.00
191836	230 V	1600 W	148.00

Blade Diameter	190 mm
Bore Diameter	30 mm
Max Cut at 90°	65 mm
Max Cut at 45°	48 mm
No Load Speed	5000 rpm
Weight	4.8 kg

GKS 65CE Circular Saw. Extra features

- Electronic power control ensures constant speed, even under load.
- High torque, 1800 watt motor.

Stock No	Voltage	Power Input	Price
191838	230 V	1800 W	158.00

Blade Diameter	190 mm
Bore Diameter	30 mm
Max Cut at 90°	65 mm
Max Cut at 45°	48 mm
No Load Speed	2300 - 5000 rpm
Weight	4.9 kg



Bosch Circular Saw

Industrial quality circular saw. Features include

- Lock-on switch.
- Depth adjustment lever.
- Pendulum guard with feed roller.
- Well positioned centre of gravity for ease of handling.
- TCT saw blade.
- Parallel guide.
- Three year guarantee.

GKS 85S Circular Saw

Stock No	Voltage	Power Input	Price
191840	110 V	1700 W	214.00
191842	230 V	1700 W	214.00

Blade Diameter	230 mm
Bore Diameter	30 mm
Max Cut at 90°	85 mm
Max Cut at 45°	60 mm
No Load Speed	4600 rpm
Weight	6.9 kg



DeWalt Circular Saw

Precision, industrial quality, circular saw. Features include

- Compact tool design.
- Well balanced for ease of handling.
- High torque motor for power and durability.
- Quick and easy depth and angle adjustment.
- Aluminium shoe for accuracy and stability.
- Compatible with De Walt guide rail system.
- Good cutting line visibility and guiding notches for 45° and 90° cuts.
- TCT saw blade.
- Dust extraction adaptor.
- Parallel guide.
- One year guarantee.

D23550 Circular Saw

Stock No	Voltage	Power Input	Price
190500	110 V	1050 W	95.00
190502	230 V	1050 W	95.00

Blade Diameter	165 mm
Bore Diameter	30 mm
Max Cut at 90°	55 mm
Max Cut at 45°	41 mm
No Load Speed	5000 rpm
Weight	3.3 kg

CONTINUED >





DeWalt Circular Saw

Industrial quality circular saw. Features include

- Compact tool design.
- Well balanced for ease of handling.
- High torque motor for power and durability.
- Quick and easy depth and angle adjustment.
- Durable cast aluminium housing.
- Pressed steel shoe for strength and durability.
- Efficient dust extraction port.
- Good cutting line visibility and guiding notches for 45° and 90° cuts.
- Large retraction lever for safe operation of lower guard.
- TCT saw blade.
- Parallel guide.
- One year guarantee.
- Supplied in carry case.

D23620K Circular Saw

Stock No	Voltage	Power Input	Price
190504	110 V	1150 W	115.00
190506	230 V	1150 W	115.00

Blade Diameter	184 mm
Bore Diameter	16 mm
Max Cut at 90°	65 mm
Max Cut at 45°	45 mm
Bevel Capacity	50°
No Load Speed	5000 rpm
Weight	5.1 kg



DeWalt Circular Saw

Precision, industrial quality, circular saw. Features include

- Well balanced for ease of handling.
- High torque motor for durability and power.
- Quick and easy depth and angle adjustment.
- Stable block construction for low vibration and long service life.
- Compatible with DeWalt guide rail system.
- D-shaped additional handle for safe two-handed work.
- Protection hood for up to 95° dust extraction.
- TCT saw blade.
- Parallel guide.
- One year guarantee.
- Supplied in carry case.

D23650K Circular Saw

Stock No	Voltage	Power Input	Price
190508	110 V	1350 W	145.00
190510	230 V	1350 W	145.00

Blade Diameter	190 mm
Bore Diameter	30 mm
Max Cut at 90°	65 mm
Max Cut at 45°	45 mm
Bevel Capacity	55°
No Load Speed	5000 rpm
Weight	5.4 kg



DeWalt Circular Saw

Heavy duty, industrial quality, circular saw. Features include

- Well balanced for ease of handling.
- High torque durable motor delivers excellent power, even at maximum depth of cut.
- Quick and easy depth and angle adjustment.
- Stable block construction for low vibration and long service life.
- Steel shoe for strength and durability.
- Protection hood for dust extraction.
- TCT saw blade.
- Parallel guide.
- One year guarantee.

D23700 Circular Saw

Stock No	Voltage	Power Input	Price
190512	110 V	1750 W	189.00
190514	230 V	1750 W	189.00

Blade Diameter	235 mm
Bore Diameter	30 mm
Max Cut at 90°	86 mm
Max Cut at 45°	62 mm
Bevel Capacity	45°
No Load Speed	4700 rpm
Weight	8.2 kg



210mm Draper Mitre Saw

DIY compound mitre saw. Features include

- Lightweight diecast aluminium table and base.
- TCT saw blade.
- Table extensions for larger workpieces.
- One year guarantee.

MS210A Mitre Saw

Stock No	Voltage	Power Input	Price
195402	230 V	1050 W	57.59

Blade Diameter	210 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	120 x 50 mm (Straight Cut)
Max Cut at 45°/90°	60 x 50 mm (Mitre Cut)
Max Cut at 90°/45°	120 x 25 mm (Bevel Cut)
Max cut at 45°/45°	60 x 25 mm (Compound Cut)
Mitre Capacity	45° Left, 45° Right
Bevel Capacity	45° Left Only
No Load Speed	5000 rpm
Weight	9 kg

210mm Draper Mitre Saw CONTINUED >

Replacement Blades

Stock No	Diameter x Bore	No. of Teeth	Price
089885	210 mm x 3/8"	24 T	8.59
089890	210 mm x 3/8"	40 T	8.78
089895	210 mm x 3/8"	60 T	11.14



210mm Slide Compound Draper Mitre Saw

Trade quality compound mitre saw. Features include

- Fitted with slide rails for increased cutting capacity.
- Lightweight diecast aluminium table and base.
- Vertical workpiece clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Table extensions for larger workpieces.
- Depth stop allows precise trenching operations.
- Integral laser guide line.
- One year guarantee.

SMS210 Mitre Saw

Stock No	Voltage	Power Input	Price
195406	230 V	1200 W	112.93

Blade Diameter	210 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	200 x 60 mm (Straight Cut)
Max Cut at 45°/90°	140 x 60 mm (Mitre Cut)
Max Cut at 90°/45°	200 x 42 mm (Bevel cut)
Max Cut at 45°/45°	140 x 42 mm (Compound Cut)
Mitre Capacity	45° Left, 45° Right
Bevel Capacity	45° Left Only
No Load Speed	4500 rpm
Weight	16 kg

Replacement Blades

Stock No	Diameter x Bore	No. of Teeth	Price
089842	210 x 30 mm	24 T	8.59
089845	210 x 30 mm	40 T	10.98
089850	210 x 30 mm	60 T	11.14



Stock No 190512

CONTINUED >



250mm Slide Compound Draper Mitre Saw

Trade quality compound mitre saw. Features include

- Powerful high torque motor.
- Fitted with slide rails for increased cutting capacity.
- Lightweight diecast aluminium table and base.
- Vertical workpiece clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Table extensions for larger workpieces.
- Depth stop allows precise trenching operations.
- Integral laser guide line.
- One year guarantee.

SMS250 Mitre Saw

Stock No	Voltage	Power Input	Price
195408	230 V	2000 W	137.13

Blade Diameter	250 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	300 x 75 mm (Straight Cut)
Max Cut at 45°/90°	210 x 75 mm (Mitre Cut)
Max Cut at 90°/45°	300 x 40 mm (Bevel Cut)
Max Cut at 45°/45°	210 x 40 mm (Compound Cut)
Mitre Capacity	45° Left, 45° Right
Bevel Capacity	45° Left Only
No Load Speed	4200 rpm
Weight	21 kg

Replacement Blades

Stock No	Diameter x Bore	No. of Teeth	Price
089855	250 x 30 mm	24 T	11.17
089860	250 x 30 mm	40 T	15.38
089810	250 x 30 mm	60 T	17.30
089815	250 x 30 mm	80 T	15.86

Aluminium Cutting Blade

Stock No	Diameter x Bore	No. of Teeth	Price
089840	250 x 30 mm	80 T	16.93



260mm Makita Mitre Saw

Industrial quality compound mitre saw. Features include

- Lightweight and easily portable.
- Vertical workpiece clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Table extensions for larger workpieces.
- Pivoting fence for efficient workpiece support.
- Electronic brake.
- One year guarantee.

LS1040 Mitre Saw

Stock No	Voltage	Power Input	Price
192920	110 V	1650 W	193.05
192910	240 V	1650 W	193.05

Blade Diameter	260 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	130 x 69 mm (Straight Cut)
Max Cut at 45°/90°	92 x 69 mm (Mitre Cut)
Max Cut at 90°/45°	130 x 35 mm (Bevel Cut)
Max Cut at 45°/45°	92 x 35 mm (Compound Cut)
Mitre Capacity	45° Left, 52° Right
Bevel Capacity	45° Left Only
No Load Speed	4,600 rpm
Weight	11 kg

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089510	255 x 30 mm	32 T	27.60
089505	260 x 30 mm	60 T	44.80

See LS1013 for other blades that will fit the LS1040 mitre saw.



190mm Makita Slide Compound Mitre Saw

Industrial quality compound mitre saw. Features include

- Fitted with slide rails for increased cutting capacity.
- Double slide rails with linear ball bearings ensure smooth and accurate operation.
- TCT saw blade.
- Vertical Clamp.
- Dust Bag.
- Lock-off button.
- Table extensions for larger workpieces.
- Depth stop allows precise trenching operations.
- Optional laser guide.
- Electronic brake.
- One year guarantee.

LS0714 Mitre Saw

Stock No	Voltage	Power Input	Price
192930	110 V	1010 W	386.10
192931	240 V	1010 W	386.10

LS0714X Mitre Saw with Stand

Stock No	Voltage	Power Input	Price
192932	110 V	1010 W	408.20
192933	240 V	1010 W	408.20

LS0714L Mitre Saw with Laser Guide Line

Stock No	Voltage	Power Input	Price
192934	110 V	1010 W	400.40
192935	240 V	1010 W	400.40

LS0714LX Mitre Saw with Laser Guide Line and Stand

Stock No	Voltage	Power Input	Price
192936	110 V	1010 W	423.15
192937	240 V	1010 W	423.15

Blade Diameter	190 mm
Bore Diameter	20 mm
Max Cut at 90°/90°	300 x 52 mm (Straight Cut)
Max Cut at 45°/90°	212 x 52 mm (Mitre Cut)
Max Cut at 90°/45°	300 x 40 mm (Bevel Cut)
Max Cut at 45°/45°	212 x 40 mm (Compound Cut)
Mitre Capacity	47° Left, 57° Right
Bevel Capacity	45° Left, 5° Right
No Load Speed	6000 rpm
Weight	12.6 kg

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089495	190 x 20 mm	24 T	22.80
089496	190 x 20 mm	60 T	31.20

Replacement Blades. For cutting aluminium. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089497	190 x 20 mm	60 T	30.80



Stock No 192930



260mm Makita Slide Compound Mitre Saw

Industrial quality compound mitre saw. Designed for craftsmen and professional joinery workshops, but tough enough for site use. Features include

- Fitted with slide rails for increased cutting capacity.
- Double slide rails with linear ball bearings ensure smooth and accurate operation.
- Angled motor housing allows clearance for thicker workpieces.
- TCT saw blade.
- Vertical Clamp.
- Dust Bag.
- Lock-off button.
- Kerf block.
- Table extension for larger workpieces.
- Depth stop allows precise trenching operations.
- Adjustable sub-fence.
- Optional laser guide.
- Electronic power control maintains constant blade speed under load.
- Soft start.
- Electronic brake.
- One year guarantee.

LS1013 Mitre Saw

Stock No	Voltage	Power Input	Price
192940	110 V	1430 W	560.30
192941	240 V	1430 W	560.30

LS1013X Mitre Saw with Stand

Stock No	Voltage	Power Input	Price
192942	110 V	1430 W	582.40
192943	240 V	1430 W	582.40

LS1013L Mitre Saw with Laser Guide Line

Stock No	Voltage	Power Input	Price
192944	110 V	1430 W	589.55
192945	240 V	1430 W	589.55

LS1013LX Mitre Saw with Laser Guide Line and Stand

Stock No	Voltage	Power Input	Price
192946	110 V	1430 W	611.65
192947	240 V	1430 W	611.65

Blade Diameter	260 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	305 x 91 mm (Straight Cut)
Max Cut at 45°/90°	215 x 91 mm (Mitre Cut)
Max Cut at 90°/45°	305 x 50 mm (Bevel Cut)
Max Cut at 45°/45°	215 x 50 mm (Compound Cut)
Mitre Capacity	47° Left, 52° Right
Bevel Capacity	45° Left, 45° Right
No Load Speed	3700 rpm
Weight	21 kg

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089502	260 x 30 mm	32 T	17.55
089503	260 x 30 mm	40 T	29.60
089504	260 x 30 mm	60 T	29.60
089505	260 x 30 mm	60 T	44.80

Replacement Blades. For cutting aluminium. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089506	260 x 30 mm	70 T	17.55
089507	260 x 30 mm	80 T	41.60
089508	260 x 30 mm	100 T	44.00



305mm Makita Slide Compound Mitre Saw

Industrial quality compound mitre saw. Designed for craftsmen and professional joinery workshops, but tough enough for site use. Features include

- Fitted with slide rails for increased cutting capacity.
- Double slide rails with linear ball bearings ensure smooth and accurate operation.
- Angled motor housing allows clearance for thicker workpieces.
- TCT saw blade.
- Vertical Clamp.
- Dust Bag.
- Lock-off button.
- Kerf block.
- Table extension for larger workpieces.
- Depth stop allows precise trenching operations.
- Adjustable sub-fence.
- Optional laser guide.
- Electronic power control maintains constant blade speed under load.
- Soft start.
- Electronic brake.
- One year guarantee.

LS1214 Mitre Saw

Stock No	Voltage	Power Input	Price
192950	110 V	1650 W	645.45
192951	240 V	1650 W	645.45

LS1214X Mitre Saw with Stand

Stock No	Voltage	Power Input	Price
192952	110V	1650 W	668.20
192953	240 V	1650 W	668.20

LS1214L Mitre Saw with Laser Guide Line

Stock No	Voltage	Power Input	Price
192956	110 V	1650 W	662.35
192957	240 V	1650 W	662.35

LS1214LX Mitre Saw with Laser Guide Line and Stand

Stock No	Voltage	Power Input	Price
192960	110 V	1650 W	684.45
192961	240 V	1650 W	684.45

Blade Diameter	305 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	308 x 115 mm (Straight Cut)
Max Cut at 45°/90°	218 x 115 mm (Mitre Cut)
Max Cut at 90°/45°	305 x 66 mm (Bevel Cut)
Max Cut at 45°/45°	170 x 66 mm (Compound Cut)
Mitre Capacity	45° Left, 45° Right
Bevel Capacity	45° Left, 45° Right
No Load Speed	3200 rpm
Weight	24 kg

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089518	305 x 30 mm	40 T	30.40
089520	305 x 30 mm	60 T	38.40
089525	305 x 30 mm	80 T	46.40
089526	305 x 30 mm	100 T	53.60

Stock No. 089520 is supplied with the LS1214 saw.

305mm Makita Slide Compound Mitre Saw CONTINUED >

Replacement Blades. For cutting aluminium. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089530	305 x 30 mm	80 T	53.60
089535	305 x 30 mm	100 T	60.00

Mitre Saw Stand. Provides a robust and stable bench at a comfortable working height. Features include

- Adjustable mounting plates allow the fitting of all Makita mitre saws and those of competitor brands.
- Pair of castors for on-site manoeuvrability.
- With the saw fitted, the legs will fold below the bed and clip into position (for van transport).

Stock No	Description	Price
192962	Makita Mitre Saw Stand	83.25
Max Bed Length		3.6 metres
Max Load Capacity		275 kg



254mm Bosch Mitre Saw

Industrial quality compound mitre saw. Features include

- Compact and powerful tool.
- Integral carrying handle for easy transport.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Lock-off button for safety.
- Three year guarantee.

GCM 10 Mitre Saw

Stock No	Voltage	Power Input	Price
191850	110 V	1450 W	211.00
191852	230 V	1800 W	211.00

Blade Diameter	254 mm
Bore Diameter	30 mm
Max Cutting Width	144 mm
Max Cutting Depth	89 mm
Mitre Capacity	48° Left, 49° Right
Bevel Capacity	47° Left Only
No Load Speed	4500 rpm
Weight	15 kg

Optiline Wood Blades. The precise blade for quality cuts in all standard woodworking applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089329	254 x 30 mm	24 T	17.52
089331	254 x 30 mm	60 T	24.51
089332	254 x 30 mm	80 T	28.01

Multi Material Blades. The perfect blade for clean cuts in aluminium, plastics and laminated boards.

Stock No	Diameter x Bore	No. of Teeth	Price
089336	254 x 30 mm	40 T	20.31
089337	254 x 30 mm	80 T	28.01
089338	254 x 30 mm	96 T	30.30

CONTINUED >

**We accept Visa and Mastercard
Debit and Credit Cards**


305mm Bosch Mitre Saw

Industrial quality compound mitre saw. Features include

- Powerful tool with capacity for thick beams.
- Integral carrying handle for easy transport.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Lock-off button for safety.
- Three year guarantee.

GCM 12 Mitre Saw

Stock No	Voltage	Power Input	Price
191854	110 V	1450 W	653.00
191856	230 V	1800 W	653.00

Blade Diameter	305 mm
Bore Diameter	30 mm
Max Cutting Width	196 mm
Max Cutting Depth	104 mm
Mitre Capacity	52° Left, 52° Right
Bevel Capacity	47° Left Only
No Load Speed	4300 rpm
Weight	20 kg

Optiline Wood Blades. The precise blade for quality cuts in all standard woodworking applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089250	300 x 30 mm	48 T	22.07
089251	305 x 30 mm	60 T	25.22
089252	305 x 30 mm	96 T	31.39

Construct Wood Blade. The ideal blade for coarse cuts through construction site timber and wood with nails.

Stock No	Diameter x Bore	No. of Teeth	Price
089253	300 x 30 mm	20 T	23.18

Multi Material Blades. The perfect blade for clean cuts in aluminium, plastics and laminated boards.

Stock No	Diameter x Bore	No. of Teeth	Price
089254	305 x 30 mm	80 T	29.07
089255	300 x 30 mm	96 T	31.39


216mm Bosch Slide Compound Mitre Saw

Industrial quality compound mitre saw. Features include

- Powerful tool for fast work progress.
- Fitted with slide rails for increased cutting capacity.
- Compact and lightweight.
- Soft-grip carrying handle for easy transport.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Precise groove cuts can be performed.
- Lock-off button for safety.
- Work light for convenience.
- Laser guide line.
- Pre-set locking positions enable precise angle cuts.
- Three year guarantee.

GCM 8S Mitre Saw

Stock No	Voltage	Power Input	Price
191858	110 V	1400 W	315.00
191860	230 V	1400 W	315.00

Blade Diameter	216 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	270 x 60 mm (Straight Cut)
Max Cut at 45°/90°	190 x 60 mm (Mitre Cut)
Max Cut at 90°/45°	270 x 42 mm (Bevel Cut)
Max Cut at 45°/45°	190 x 42 mm (Compound Cut)
Mitre Capacity	50° Left, 58° Right
Bevel Capacity	47° Left Only
No Load Speed	5000 rpm
Weight	15 kg

Optiline Wood Blades. The precise blade for quality cuts in all standard woodworking applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089260	216 x 30 mm	24 T	17.52
089261	216 x 30 mm	48 T	21.01
089262	216 x 30 mm	60 T	24.51

Multi Material Blade. The perfect blade for clean cuts in aluminium, plastics and laminated boards.

Stock No	Diameter x Bore	No. of Teeth	Price
089263	216 x 30 mm	80 T	28.01


254mm Bosch Slide Compound Mitre Saw

Industrial quality compound mitre saw. High precision tool with large cutting capacity. Features include

- Powerful motor for rapid effortless cutting.
- Extra large, double-bar sliding mechanism for rigidity and accuracy.
- High quality diecast aluminium bench and stop.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Lock-off button for safety.
- Pre-set locking positions enable precise angle cuts.
- Three year guarantee.

GCM 10S Mitre Saw

Stock No	Voltage	Power Input	Price
191862	110 V	1450 W	431.00
191864	230 V	1800 W	431.00

Blade Diameter	254 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	305 x 87 mm (Straight Cut)
Max Cut at 45°/90°	216 x 87 mm (Mitre Cut)
Max Cut at 90°/45°	305 x 53 mm (Bevel Cut)
Max Cut at 45°/45°	216 x 53 mm (Compound Cut)
Mitre Capacity	52° Left, 62° Right
Bevel Capacity	47° Left Only
No Load Speed	4,700 rpm
Weight	21 k

See GCM 10 for replacement blades.

Stock No 191862





254mm Bosch Slide Compound Mitre Saw

Industrial quality, double bevel, compound mitre saw. High precision tool with large cutting capacity. Features include

- Powerful motor for rapid effortless cutting.
- Extra large, double-bar sliding mechanism for rigidity and accuracy.
- Bevel cuts on both sides.
- Bevel cut adjustment is on the front of the machine for quick and easy angle setting.
- High quality diecast aluminium bench and stop.
- Integrated bench extensions (left and right) that can be set without tools.
- Soft-grip front handle that can be set in four different positions for maximum operator comfort and convenience.
- Soft-grip carrying handle for easy transport.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Lock-off button for safety.
- Pre-set locking positions enable precise angle cuts.
- Three year guarantee.

GCM 10SD Mitre Saw

Stock No	Voltage	Power Input	Price
191866	110 V	1800 W	581.00
191868	230 V	1800 W	581.00

Blade Diameter	254 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	305 x 85 mm (Straight Cut)
Max Cut at 45°/90°	216 x 85 mm (Mitre Cut)
Max Cut at 90°/45°	305 x 50 mm (Bevel Cut)
Max Cut at 90°/90°	216 x 50 mm (Compound Cut)
Mitre Capacity	52° Left, 60° Right
Bevel Capacity	47° Left, 46° Right
No Load Speed	5000 rpm
Weight	28 kg

See GCM 10 for replacement blades.



305mm Bosch Slide Compound Mitre Saw

Industrial quality, double bevel, compound mitre saw. High precision tool with extra large cutting capacity. Features include

- Powerful motor for rapid effortless cutting.
- Extra large, double-bar sliding mechanism for rigidity and accuracy.
- Bevel cut on both sides.
- Bevel cut adjustment is on the front of the machine for quick and easy angle setting.
- High quality diecast aluminium bench and stop.
- Integrated bench extensions (left and right) that can be set without tools.
- Soft-grip front handle that can be set in four different positions for maximum operator comfort and convenience.
- Soft-grip carrying handle for easy transport.
- Quick-action vertical clamp.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Dust extraction adaptor (for attachment to vacuum system).
- Lock-off button for safety.
- Pre-set locking positions enable precise angle cuts.
- Three year guarantee.

GCM 12SD Mitre Saw

Stock No	Voltage	Power Input	Price
191870	110 V	1800 W	697.00
191872	230 V	1800 W	697.00

Blade Diameter	305 mm
Bore Diameter	30 mm
Max Cut at 90°/90°	305 x 110 mm (Straight Cut)
Max Cut at 45°/90°	217 x 110 mm (Mitre Cut)
Max Cut at 90°/45°	305 x 63 mm (Bevel Cut)
Max Cut at 90°/90°	217 x 63 mm (Compound Cut)
Mitre Capacity	52° Left, 60° Right
Bevel Capacity	47° Left, 47° Right
No Load Speed	3800 rpm
Weight	29 kg

See GCM 12 for replacement blades.

Mitre Saw Stand. Robust and stable work bench that accepts all Bosch mitre saws. Features include

- Quick and easy tool-free assembly.
- Saw holder set with quick-action safety lock (for fast and safe fitting of the machine).
- Carrying handle for easy transport.
- Extensions with roller and gauge for optimum support of long workpieces.
- Height-adjustable supporting leg for added stability.

Stock No	Description	Price
191874	Bosch Mitre Saw Stand	206.00

Work Bench Height	810 mm
Max Bed Length	3.7 metres
Max Load Capacity	250 kg



Draper Table Saw

Draper DIY table saw. Features include

- Adjustable cutting depth.
- Arbor tilts 0 - 45°.
- Dust extraction facility.
- VDE no-volt safety switch.
- Supplied with rip fence, mitre guide, two extension wings and two 40 teeth TCT saw blades.
- Optional legstand available.
- One year guarantee.

BTS252 Table Saw

Stock No	Voltage	Power Input	Price
195418	230 V	1500 W	143.94
Blade Diameter	254 mm		
Bore Diameter	16 mm		
Max Cut at 90°	80 mm		
Max Cut at 45°	55 mm		
Table Size	950 x 670 mm		
No Load Speed	4500 rpm		
Weight	21 kg		

Saw Stand

Stock No	Description	Price
195420	Leg stand for BTS252 Table Saw	29.19

Replacement Blades. Draper TCT blades.

Stock No	Diameter x Bore	No. of Teeth	Price
089800	254 x 16 mm	30 T	15.06
089805	254 x 16 mm	40 T	15.34



Stock No 191870

Looking for an item not listed?
Call our Sales Team on 01224 620944

For ease and accuracy when placing orders please use our stock number



Draper Contractors Table Saw

Draper table saw for workshop use. Sturdily built, precision cutting machine. Features include

- Table and frame built from galvanised steel.
- Large working surface.
- Adjustable cutting depth.
- Arbor tilts 0 - 45°.
- Dust extraction facility.
- VDE no-volt safety switch.
- Supplied with rip fence/mitre guide, rear extension table and 28 teeth TCT blade.
- One year guarantee.

CS315B Table Saw

Stock No	Voltage	Power Input	Price
195426	230 V	2000 W	259.95
Blade Diameter	315 mm		
Bore Diameter	30 mm		
Max Cut at 90°	90 mm		
Max Cut at 45°	64 mm		
Table Size	550 x 800 mm		
Table Size with Extension	550 x 1610 mm		
No Load Speed	2780 rpm		
Weight	40 kg		

Replacement Blades

Stock No	Diameter x Bore	No. of Teeth	Price
089820	315 x 30 mm	24 T	18.75
089825	315 x 30 mm	30 T	19.18
089830	315 x 30 mm	40 T	17.71
089835	315 x 30 mm	80 T	21.23

Professional Blue Bosch Power Tools must be registered on the Internet within 4 weeks of purchase to qualify for the three year extended warranty



Makita Table Saw

High performance, industrial quality table saw. Features include

- The rigid cast chassis combined with the machined saw table deliver the most accurate cutting.
- The cutting line is always in the same position, whatever the cutting angle.
- Easy to read angle scale with adjustable zero point.
- Right and back sub-tables supplied.
- Capacity to rip 8 ft x 4 ft sheet with sub-tables fitted.
- Telescoping guide rail.
- Rip fence slides smoothly and always stays parallel.
- Bevel guide.
- TCT saw blade.
- Anti-restart button.
- Soft start.
- Electronic brake.
- One year guarantee.

2704 Table Saw

Stock No	Voltage	Power Input	Price
192890	110 V	1650 W	560.30
192891	240 V	1650 W	560.30
Blade Diameter	255 mm		
Bore Diameter	30 mm		
Max Cut at 90°	89 mm		
Max Cut at 45°	63 mm		
Bevel Angle Range	-0.5° to 45.5°		
Table Width	753 mm (Without Sub-Table)		
	1066 mm (With Sub-Table)		
Table Length	665 mm (Without Sub-Table)		
	1054 mm (With Sub-Table)		
No Load Speed	4600 rpm		
Weight	30 kg		

2704X Table Saw with Stand

Stock No	Voltage	Power Input	Price
192892	110 V	1650 W	662.35
192893	240 V	1650 W	662.35
Cutting Table Height	900 mm		

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089538	255 x 30 mm	24 T	20.80
089539	255 x 30 mm	40 T	25.20

Table Saw Stand. Robust steel mounting unit with scissors-type height adjustment. Features include

- Adjustable deck height can be locked in five positions.
- Scissor lift action is supported by gas struts.
- Two rubber-tyred wheels for on-site manoeuvrability.
- With the saw still fitted, the stand can be fully lowered and locked (for van transport).

Stock No	Description	Price
192894	Makita Table Saw Stand	168.00
Stand Deck Height	300 - 600 mm	
Cutting Table Height	600 - 900 mm	



Bosch Table Saw

Powerful, industrial quality table saw. No beam too large and no board too bulky for this machine. Features include

- Powerful motor for rapid effortless cutting.
- Rigid construction for accurate cutting.
- Patented "Square Lock" rip fence always stays parallel.
- Bevel guide.
- TCT saw blade.
- Spindle lock for easy blade change.
- Safe storage compartment for saw blade and assembly tool.
- Anti-restart button.
- Three year guarantee.

GTS 10 Table Saw

Stock No	Voltage	Power Input	Price
191876	110 V	1800 W	528.00
191877	230 V	1800 W	528.00
Blade Diameter	254 mm		
Bore Diameter	30 mm		
Max Cut at 90°	79 mm		
Max Cut at 45°	56 mm		
Bevel Angle Range	0° to 47°		
Table Width	737 mm		
Table Length	641 mm		
Max Cutting Capacity	635 mm (Right of Saw Blade)		
Max Cutting Capacity	330 mm (Left of Saw Blade)		
No Load Speed	3650 rpm		
Weight	34 kg		

Optiline Wood Blades. The precise blade for quality cuts in all standard woodworking applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089246	254 x 30 mm	40 T	20.31
089247	254 x 30 mm	60 T	24.51

Table Saw Stand. Steel sub-frame that can be folded for easy storage. Adjustable height.

Stock No	Description	Price
191878	Bosch Table Saw Stand	127.66

Stock No 191876





Makita Flip Over Saw

Industrial quality, flip over saw. Versatile machine that is excellent for all aspects of site work. Features include

- Powerful motor to cut hard wood and difficult materials.
- Lightweight motor for easy conversion from mitre to table saw.
- Aluminium cast base for lightness and rigidity.
- Machined diecast aluminium table for strength and accuracy.
- Lightweight for easy transport.
- TCT saw blade.
- Integral dust extraction complete with dust bag.
- Fold away legs for easy storage and transport by car or van.
- Bevel guide.
- Parallel fence.
- Electronic power control maintains constant blade speed under load.
- Soft start.
- Electronic brake.
- One year guarantee.

LF1000 Flip Over Saw

Stock No	Voltage	Power Input	Price
192898	110 V	1650 W	623.35
192899	240 V	1650 W	623.35

Blade Diameter	260 mm
Bore Diameter	30 mm
Max Table Saw Cut at 90°	70 mm
Max Table Saw Cut at 45°	32 mm
Max Mitre Saw Cut at 90°/90°	155 x 68 mm (Straight Cut)
Max Mitre Saw Cut at 45°/90°	95 x 68 mm (Mitre Cut)
Max Mitre Saw Cut at 90°/45°	140 x 50 mm (Bevel Cut)
Max Mitre Saw Cut at 45°/45°	95 x 50 mm (Compound Cut)
Mitre Capacity	45° Left, 45° Right
Bevel Capacity	45° Left Only
No Load Speed	2700 rpm
Weight	33 kg

Replacement Blades. For cutting wood. Good quality Makita TCT blades, designed for industrial applications.

Stock No	Diameter x Bore	No. of Teeth	Price
089502	260 x 30 mm	32 T	17.55
089540	260 x 30 mm	40 T	23.60
089541	260 x 30 mm	60 T	47.20



DeWalt Flip Over Saw

The classic TGS flip over saw. Features include

- High output, heavy duty, high torque, induction motor that provides years of maintenance-free use
- Low noise motor suitable for workshop applications
- Rapid tool-free conversion from mitre saw to table saw
- Integrated carrying handles for easy transport
- Premium TCT saw blade
- Three way extractor connection facility for efficient dust extraction
- Detachable legs for easy storage and transport by car or van.
- Parallel fence.
- One year guarantee.

DW743 Flip Over Saw

Stock No	Voltage	Power Input	Price
190520	110 V	2000 W	665.00
190522	230 V	2000 W	665.00

Blade Diameter	250 mm
Bore Diameter	30 mm
Max Table Saw Cut at 90°	70 mm
Max Table Saw Cut at 45°	32 mm
Max Mitre Saw Cut at 90°/90°	155 x 68 mm (Straight Cut)
Max Mitre Saw Cut at 45°/90°	95 x 68 mm (Mitre Cut)
Max Mitre Saw Cut at 90°/45°	140 x 50 mm (Bevel Cut)
Max Mitre Saw Cut at 45°/45°	95 x 50 mm (Compound Cut)
Mitre Capacity	45° Left/45° Right
Bevel Capacity	45° Left Only
No Load Speed	2600 rpm
Weight	33 kg

Series 60® Wood Blades. DeWalt's premium saw blade, delivering the ultimate in accuracy, finish and life.

Stock No	Diameter x Bore	No. of Teeth	Price
089354	250 x 30 mm	30 T	38.99
089355	250 x 30 mm	40 T	48.93
089356	250 x 30 mm	60 T	59.00
089357	250 x 30 mm	80 T	66.65

Series 60® Plastics Blade. For extra fine cuts in natural wood, plywood, veneers and plastics, this blade is designed to avoid break out in laminates. The Series 60® is DeWalt's premium saw blade, delivering the ultimate in accuracy, finish and life.

Stock No	Diameter x Bore	No. of Teeth	Price
089358	250 x 30 mm	80 T	66.65



DeWalt Combination Saw

This next generation TGS combination saw combines the accuracy of modern mitre saws with the power and capacity of dedicated table saws. Features include

- High output, heavy duty, high torque motor that provides years of maintenance-free use.
- Brushless AC motor technology allows table and mitre saw modes to operate at different speeds, optimising cutting performance.
- Robust frame design also incorporates storage area for attachments.
- Well designed mitre and bevel adjustment systems ensure high accuracy and simple adjustment.
- Premium TCT blade.
- Fold away legs for easy storage and transport by car or van.
- Two large wheels and wheelbarrow mode for on-site manoeuvrability.
- Mitre saw dust collection.
- Parallel fence.
- One year guarantee.

D27105 Combination Saw

Stock No	Voltage	Power Input	Price
190524	110 V	2000 W	885.00
190526	230 V	2000 W	885.00

Blade Diameter	305 mm
Bore Diameter	30 mm
Max Table Saw Cut at 90°	81 mm
Max Table Saw Cut at 45°	56 mm
Max Mitre Saw Depth of Cut	155 mm
Max Mitre Saw Cut at 90°/90°	50 x 155 mm (W x H)
	or 205 x 63 mm (W x H)
Max Mitre Saw Cut at 45°/90°	45 x 155 mm (W x H)
	or 160 x 63 mm (W x H)
Max Mitre Saw Cut at 90°/45°	60 x 110 mm (W x H)
	or 205 x 50 mm (W x H)
Mitre Capacity	48° Left, 48° Right
Bevel Capacity	48° Left
No Load Speed	4000/3000 rpm
Weight	40 kg

Series 60® Wood Blades. DeWalt's premium saw blade, delivering the ultimate in accuracy, finish and life.

Stock No	Diameter x Bore	No. of Teeth	Price
089360	300 x 30 mm	48 T	53.17
089361	300 x 30 mm	60 T	60.26
089362	300 x 30 mm	72 T	77.45

Series 60® Plastics Blade. For extra fine cuts in natural wood, plywood, veneers and plastics, this blade is designed to avoid break out in laminates. The Series 60® is DeWalt's premium saw blade, delivering the ultimate in accuracy, finish and life.

Stock No	Diameter x Bore	No. of Teeth	Price
089363	300 x 30 mm	96 T	92.19



Stock No 192898



Circular Saw Blades

Irwin TCT saw blades, designed tough for the every day demands of the professional. Features include

- Blade made from hardened steel.
- Blade coated for corrosion protection.
- Teeth made from resharpenable K40 tungsten carbide.
- Teeth precision ground for smooth accurate cuts.
- Teeth alternate top bevel (ATB) ground for cross and rip cutting in all woods.
- Precision manufactured reduction bushes supplied where appropriate.

Stock No	Diameter x Bore	Bushes	No. of Teeth	Price
089600	150 x 20 mm	16, 13 mm, 1/2"	18 T	10.87
089605	150 x 20 mm	16, 13 mm, 1/2"	30 T	12.80
089610	160 x 20 mm	16 mm	18 T	10.93
089615	160 x 20 mm	16 mm	30 T	12.82
089616	165 x 30 mm	20, 16 mm	18 T	11.61
089618	165 x 30 mm	20, 16 mm	30 T	14.59
089620	184 x 16 mm	-	24 T	11.34
089625	184 x 16 mm	-	40 T	17.67
089630	190 x 30 mm	20, 16 mm	20 T	13.26
089635	190 x 30 mm	20, 16 mm	40 T	19.80
089640	210 x 30 mm	25, 20, 16 mm	20 T	14.02
089645	210 x 30 mm	25, 20, 16 mm	40 T	21.34
089650	235 x 30 mm	25, 20, 16 mm	20 T	18.15
089655	235 x 30 mm	25, 20, 16 mm	40 T	25.25
089660	250 x 30 mm	25, 20, 16 mm	24 T	22.43
089665	250 x 30 mm	25, 20, 16 mm	40 T	28.77



Stock No 190524



Draper Jigsaw

Draper DIY jigsaw. Features include

- Variable Speed.
- Dust extraction nozzle.
- Two year guarantee (parts).
- One year guarantee (labour).

PT450V Jigsaw

Stock No	Voltage	Power Input	Price
195640	230 V	450 W	18.90
Max Cut in Wood	55 mm		
Max Cut in Steel	6 mm		
Stroke Speed	500 - 3000 per min		
Weight	1.8 kg		



Draper Jigsaw

Draper DIY jigsaw. Features include

- Variable speed.
- Adjustable orbital action.
- Dust extraction nozzle.
- Two year guarantee (parts).
- One year guarantee (labour).
- Parallel guide.
- Supplied in carry case.

PT780VK Jigsaw

Stock No	Voltage	Power Input	Price
195642	230 V	710 W	37.63
Max Cut in Wood	80 mm		
Max Cut in Steel	8 mm		
Stroke Speed	500 - 3000 per min		
Weight	2.5 kg		



Bosch Jigsaw

Powerful precise DIY jigsaw, ideal for curve and mitre cutting. Ergonomically designed for optimal comfort during use. Features include

- SDS-Clc facility for quick, easy, tool-free, blade changes.
- Electronic speed control.
- Adjustable orbital action.
- Dust extraction nozzle.
- Line blower.
- Two years guarantee.

PST 650PE Jigsaw

Stock No	Voltage	Power Input	Price
199210	230 V	470 W	46.80
Max Cut in Wood	68 mm		
Max Cut in Steel	6 mm		
Stroke Speed	500 - 3100 per min		
Weight	1.9 kg		



Bosch Jigsaw

Powerful precise DIY jigsaw, ideal for curve and mitre cutting. Ergonomically designed with soft grip for optimal comfort during use. Features include

- SDS-Clc facility for quick, easy, tool-free, blade changes.
- Electronic speed control.
- Adjustable orbital action.
- Dust extraction nozzle.
- Line blower.
- Reduced vibration.
- Two years guarantee.

PST 750PE Jigsaw

Stock No	Voltage	Power Input	Price
199220	230 V	600 W	71.48
Max Cut in Wood	75 mm		
Max Cut in Steel	6 mm		
Stroke Speed	500 - 3100 per min		
Weight	2.4 kg		



Makita Jigsaw

Trade quality jigsaw. Features include

- Accepts universal fitting saw blades.
- Variable speed.
- Bevel cuts up to 45°.
- One year guarantee.

4324 Jigsaw

Stock No	Voltage	Power Input	Price
192748	110 V	400 W	68.90
192750	240 V	400 W	68.90
Max Cut in Wood	65 mm		
Max Cut in Steel	6 mm		
Stroke Speed	500 - 3100 per min		
Stroke Length	18 mm		
Weight	1.9 kg		



Makita Jigsaw

Industrial quality jigsaw. This machine has a square drive shaft which allows orbital action but eliminates side-to-side movement, thus reducing vibration. Features include

- Tool-less blade change.
- Variable speed.
- Electronic power control.
- Adjustable orbital action.
- Dust extraction nozzle.
- Sole cover plate.
- Anti-splinter device.
- 6 blades.
- Ultra low vibration.
- Two years guarantee.
- Supplied in carry case.

4340CT Jigsaw

Stock No	Voltage	Power Input	Price
192730	110 V	720 W	143.65
192720	240 V	720 W	143.65

4340FCT Jigsaw with Job Light

Stock No	Voltage	Power Input	Price
192735	110 V	720 W	148.20
192725	240V	720 W	148.20
Max Cut in Wood	135 mm		
Max Cut in Steel	10 mm		
Stroke Speed	800 - 2800 per min		
Stroke Length	26 mm		
Weight	2.4 kg		

Prices shown are indicative prices. For current prices call 01224 620944 or email: sales@gibbtools.co.uk


Makita Jigsaw

Industrial quality jigsaw. This machine has a square drive shaft which allow orbital action but eliminates side-to-side movement, thus reducing vibration.

Features include

- Tool-less blade change.
- Variable speed.
- Electronic power control.
- Adjustable orbital action.
- Dust extraction nozzle.
- Sole cover plate.
- Anti-splinter device.
- 6 blades.
- Ultra low vibration.
- Two year guarantee.
- Supplied in carry case.

4341FCT Jigsaw with Job Light

Stock No	Voltage	Power Input	Price
192744	110 V	720 W	148.20
192746	240 V	720 W	148.20

Max Cut in Wood	135 mm
Max Cut in Steel	10 mm
Stroke Speed	800 - 2800 per min
Stroke Length	26 mm
Weight	2.4 kg


Bosch Jigsaw

Reliable, industrial quality jigsaw. Features include

- SDS blade change system for easy, one-hand, tool-free blade changes.
- Accelerator trigger allows fingertip speed control
- Variable speed dial.
- Adjustable orbital action (4 level).
- Sawdust blower allows clear view of cutting line.
- Dust extraction nozzle.
- Exceptional running smoothness ensures best results and low operator fatigue.
- High level of rigidity due to the combination of robust steel base plate and aluminium front cap.
- Three year guarantee.
- Supplied in carry case.

GST 75BE Jigsaw

Stock No	Voltage	Power Input	Price
191680	110 V	650 W	114.00
191690	230 V	650 W	114.00

Max Cut in Wood	90 mm
Max Cut in Aluminium	20 mm
Max Cut in Steel	10 mm
Stroke Speed	500 - 3100 per min
Stroke Length	23 mm
Weight	2.3 kg


Bosch Jigsaw

Reliable, sturdy, industrial quality jigsaw for heavy duty applications. Features include

- SDS blade change system for easy, one-hand, tool-free blade changes.
- Aluminium housing for long service life.
- Sole plate can be adjusted without tools through $\pm 45^\circ$ and forwards/backwards through 15 mm.
- Accelerator trigger allows fingertip speed control.
- Variable speed dial.
- Adjustable orbital action (4 level).
- Sawdust blower allows clear view of cutting line.
- Dust extraction nozzle.
- Exceptional running smoothness ensures best results and low operator fatigue.
- Steel reinforced aluminium sole plate, ideal for metal working.
- Designed for easy maintenance.
- Three year guarantee.
- Supplied in carry case.

GST 120BE Jigsaw

Stock No	Voltage	Power Input	Price
191700	110 V	650 W	114.00
191710	230 V	650 W	114.00

Max Cut in Wood	120 mm
Max Cut in Aluminium	20 mm
Max Cut in Steel	10 mm
Stroke Speed	500 - 2800 per min
Stroke Length	26 mm
Weight	2.7 kg


Makita MakSaw

Industrial quality, body grip jigsaw. Versatile machine for sawing, sanding and filing. Features include

- Compact and lightweight for easy handling, especially where access is difficult
- Tool-less blade change
- Variable speed trigger.
- Supplied with 13 jigsaw blades, round file, flat file, sanding pad, 10 60grit velcro abrasive sheets and 10 120grit velcro abrasive sheets
- One year guarantee.
- Supplied in carry case.

JR1000FTK MakSaw

Stock No	Voltage	Power Input	Price
192772	110 V	340 W	246.48
192774	240 V	340 W	246.48

Max Cut in Wood	55 mm
Max Cut in Pipe	25 mm
Stroke Speed	0 - 4800 per min
Stroke Length	14 mm
Weight	1.5 kg


Stock No 192744



Bosch Jigsaw

Powerful, precise, industrial quality jigsaw with a long service life under extreme conditions. Features include

- SDS blade change system for easy, one-hand, tool-free, blade changes.
- Precision Control. Patented system where tungsten carbide jaws provide additional lateral support to the jigsaw blade, making precise angle cuts possible.
- Aluminium housing for long service life.
- Sole plate can be adjusted without tools through $\pm 45^\circ$ and forwards/backwards through 15 mm.
- Accelerator trigger allows fingertip speed control.
- Variable speed dial.
- Electronic power control maintains constant blade speed under load.
- Adjustable orbital action (4 level).
- Sawdust blower allows clear view of cutting line.
- Dust extraction nozzle.
- Exceptional running smoothness ensures best results and low operator fatigue.
- Steel reinforced aluminium sole plate, ideal for metal working.
- Designed for easy maintenance.
- Three year guarantee.
- Supplied in carry case.

GST 135BCE Jigsaw

Stock No	Voltage	Power Input	Price
191720	110 V	720 W	176.00
191730	230 V	720 W	176.00

Max Cut in Wood	135 mm
Max Cut in Aluminium	20 mm
Max Cut in Steel	10 mm
Stroke Speed	500 - 2800 per min
Stroke Length	26 mm
Weight	2.7 kg



DeWalt Jigsaw

Compact, reliable, industrial quality jigsaw. Features include

- Keyless blade change.
- Patented anti-deflection clamp holds blade firmly in position and ensures accurate cutting.
- Sole plate can be adjusted through $\pm 45^\circ$.
- Variable speed dial.
- Adjustable orbital action (4 level).
- Sawdust blower allows clear view of cutting line.
- Low profile dust extraction shield with bi-directional vacuum spout.
- Ergonomic design for user comfort.
- Heavy gauge steel sole plate with anti-scratch coating and detachable anti-scratch shoe.
- One year guarantee.
- Supplied in carry case.

DW341K Top Handle Jigsaw

Stock No	Voltage	Power Input	Price
190300	110 V	550 W	99.00
190310	230 V	550 W	99.00

Max Cut in Wood	85 mm
Max Cut in Aluminium	20 mm
Max Cut in Steel	10 mm
Stroke Speed	0 - 3100 per min
Stroke Length	20 mm
Weight	2.0 kg



DeWalt Jigsaw

Compact, reliable, industrial quality jigsaw. Features include

- Keyless blade change.
- Patented anti-deflection clamp holds blade firmly in position and ensures accurate cutting.
- Sole plate can be adjusted through $\pm 45^\circ$.
- Variable speed dial.
- Adjustable orbital action (4 level).
- Sawdust blower allows clear view of cutting line.
- Low profile dust extraction shield with bi-directional vacuum spout.
- Ergonomic design for user comfort.
- Heavy gauge steel sole plate with anti-scratch coating and detachable anti-scratch shoe.
- One year guarantee.
- Supplied in carry case.

DW343K Body Grip Jigsaw

Stock No	Voltage	Power Input	Price
190320	110 V	550 W	120.00
190330	230 V	550 W	120.00

Max Cut in Wood	85 mm
Max Cut in Aluminium	20 mm
Max Cut in Steel	10 mm
Stroke Speed	1900 - 3100 per min
Stroke Length	20 mm
Weight	2.0 kg

Professional Blue Bosch Power Tools must be registered on the Internet within 4 weeks of purchase to qualify for the three year extended warranty



Stock No 191720



DeWalt Jigsaw

- Powerful, reliable, industrial quality jigsaw with fast cutting action. Features include
- Keyless blade change.
 - Tapered saw blade roller controls blade deflection at maximum depth of cut.
 - Sole plate with anti-scratch cover can be adjusted, without tools, through $\pm 45^\circ$.
 - Soft start.
 - Variable speed dial.
 - Full wave electronic power control maintains constant blade speed under load.
 - Adjustable orbital action (4 level).
 - Sawdust blower allows clear view of cutting line.
 - Dust extraction nozzle.
 - Ergonomic design for user comfort.
 - Ultra low vibration.
 - Modular component design for easy maintenance.
 - One year guarantee.
 - Supplied in carry case.

DW331K Top Handle Jigsaw

Stock No	Voltage	Power Input	Price
190340	110 V	701 W	139.00
190350	230 V	701 W	139.00

Max Cut in Wood	135 mm
Max Cut in Aluminium	30 mm
Max Cut in Steel	12 mm
No Load Stroke Speed	0 - 3100 per min
Stroke Length	26 mm
Weight	2.8 kg



DeWalt Jigsaw

- Powerful, reliable, industrial quality jigsaw with fast cutting action. Features include
- Keyless blade change.
 - Tapered saw blade roller controls blade deflection at maximum depth of cut.
 - Sole plate with anti-scratch cover can be adjusted, with out tools, through $\pm 45^\circ$.
 - Soft start.
 - Variable speed dial.
 - Full wave electronic power control maintains constant blade speed under load.
 - Adjustable orbital action (4 level).
 - Sawdust blower allows clear view of cutting line.
 - Dust extraction nozzle.
 - Ergonomic design for user comfort.
 - Ultra low vibration.
 - Modular component design for easy maintenance.
 - One year guarantee.
 - Supplied in carry case.

DW333K Body Grip Jigsaw

Stock No	Voltage	Power Input	Price
190360	110 V	701 W	179.00
190370	230 V	701 W	179.00

Max Cut in Wood	135 mm
Max Cut in Aluminium	30 mm
Max Cut in Steel	12 mm
No Load Stroke Speed	800 - 3100 per min
Stroke Length	26 mm
Weight	2.8 kg



Stock No 190360



Bosch Jigsaw Blades

Manufactured by Robert Bosch Ltd, these jigsaw blades have a single lug shank which is the universal fitting for Bosch, Makita, DeWalt, Draper and most other manufacturers jigsaws. Blades for wood, metals and special applications are included.

T119B Jigsaw Blades

- Fine teeth for clean cut.
- Softwood, plywood, wood core plywood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230005	Basic for Wood	5	2.78
Blade Material	HCS		
Tooth Pitch	1.9 - 2.3 mm (Variable Pitch)		
Cutting Length	67 mm		
Cutting Capacity	2 - 15 mm		

CONTINUED >

Bosch Jigsaw Blades CONTINUED >

T119B0 Jigsaw Blades

- Fine teeth for clean cut.
- Narrow blade for curved cuts.
- Softwood, plywood, wood core plywood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230010	Basic for Wood	5	3.55
Blade Material	HCS		
Tooth Pitch	2 mm		
Cutting Length	56 mm		
Cutting Capacity	2 - 15 mm		

T111C Jigsaw Blades

- Coarse teeth for fast cut.
- Softwood, chipboards, joiner boards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230015	Basic for Wood	5	2.43
Blade Material	HCS		
Tooth Pitch	3 mm		
Cutting Length	74 mm		
Cutting Capacity	4 - 50 mm		

T144D Jigsaw Blades

- Side set, ground teeth for fast cut.
- Softwood, wood core plywood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230025	Speed for Wood	5	3.77
Blade Material	HCS		
Tooth Pitch	4 - 5.2 mm (Variable Pitch)		
Cutting Length	74 mm		
Cutting Capacity	5 - 50 mm		

T244D Jigsaw Blades

- Side set, ground teeth for fast cut.
- Narrow blade for curved cuts.
- Softwood, wood core plywood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230030	Speed for Wood	5	4.90
Blade Material	HCS		
Tooth Pitch	4 - 5.2 mm (Variable Pitch)		
Cutting Length	74 mm		
Cutting Capacity	5 - 50 mm		

T344D Jigsaw Blades

- Side set, ground teeth for fast cut.
- Long blade for thick cuts.
- Construction timber, softwood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230100	Speed for Wood	3	7.21
Blade Material	HCS		
Tooth Pitch	4 mm		
Cutting Length	126 mm		
Cutting Capacity	5 - 100 mm		

T101A0 Jigsaw Blades

- Ground teeth for clean cuts.
- Narrow blade for curved cuts.
- Softwood, plywood, laminated boards.

Stock No	Blade Type	Pack Quantity	Price
230040	Clean for Wood	5	4.44
Blade Material	HCS		
Tooth Pitch	1.4 mm		
Cutting Length	56 mm		
Cutting Capacity	1.5 - 15 mm		

T101B Jigsaw Blades

- Ground teeth and taper ground blade for clean cuts.
- Softwood, wood core plywood, chipboards, fibre boards, plastics, epoxy.

Stock No	Blade Type	Pack Quantity	Price
230055	Clean for Wood	5	4.85
Blade Material	HCS		
Tooth Pitch	2.7 mm		
Cutting Length	74 mm		
Cutting Capacity	3 - 30 mm		

CONTINUED >

Bosch Jigsaw Blades CONTINUED >

T101D Jigsaw Blades

- Ground teeth and taper ground blade for clean cuts.
- Softwood, wood core plywood, chipboards, fibre boards.

Stock No	Blade Type	Pack Quantity	Price
230065	Clean for Wood	5	4.85
Blade Material		HCS	
Tooth Pitch		4 - 5.2 mm (Variable Pitch)	
Cutting Length		74 mm	
Cutting Capacity		10 - 45 mm	

T101BR Jigsaw Blades

- Ground teeth and taper ground blade for clean cuts.
- Downward cut for clean top surface.
- Softwood, chipboards, fibre boards, laminated boards.

Stock No	Blade Type	Pack Quantity	Price
230060	Clean for Wood	5	5.34
Blade Material		HCS	
Tooth Pitch		2.5 mm (Reversed)	
Cutting Length		74 mm	
Cutting Capacity		3 - 30 mm	

T301BCP Jigsaw Blades

- Ground teeth for clean cuts.
- Precision blade for accurate angles.
- Softwood, chipboards, joiner boards, fibre boards.
- Especially suitable for doors and kitchen work tops.

Stock No	Blade Type	Pack Quantity	Price
230062	Precision for Wood	5	7.20
Blade Material		HCS	
Tooth Pitch		2.5 mm	
Cutting Length		91 mm	
Cutting Capacity		3 - 65 mm	

T234X Jigsaw Blades

- Ground teeth and taper ground blade for clean cuts.
- Progressor teeth for quick cut through thick and thin wood.
- Softwood, wood core plywood, chipboards, fibre boards.
- Ideal, general purpose, wood-cutting blade.

Stock No	Blade Type	Pack Quantity	Price
230070	Progressor for Wood	5	7.17
230072	Progressor for Wood	100	140.41
Blade Material		HCS	
Tooth Pitch		2 - 3 mm (Progressive)	
Cutting Length		91 mm	
Cutting Capacity		2 - 65 mm	

T101BF Jigsaw Blades

- Long-life blade.
- Clean cut.
- Hardwood, laminated boards, HPL, plastics, epoxy.

Stock No	Blade Type	Pack Quantity	Price
230090	Clean for Hardwood	5	9.16
Blade Material		Bi-Metal	
Tooth Pitch		2.7 mm	
Cutting Length		74 mm	
Cutting Capacity		3 - 30 mm	

T101CDF Jigsaw Blades

- Long-life blade.
- Clean cut.
- Hardwood, softwood, laminated boards, HPL.

Stock No	Blade Type	Pack Quantity	Price
230092	Clean for Hardwood	5	11.46
Blade Material		Bi-Metal	
Tooth Pitch		3 mm	
Cutting Length		91 mm	
Cutting Capacity		4 - 65 mm	

T101BRF Jigsaw Blades

- Long-life blade.
- Clean cut.
- Downward cut for clean top surface.
- Laminates, kitchen work tops.

Stock No	Blade Type	Pack Quantity	Price
230095	Clean for Hardwood	5	9.96
Blade Material		Bi-Metal	
Tooth Pitch		2.5 mm (Reversed)	
Cutting Length		74 mm	
Cutting Capacity		3 - 45 mm	

CONTINUED >

Bosch Jigsaw Blades CONTINUED >

T345XF Jigsaw Blades

- Cuts wood and metal.
- Long-life blade.
- Progressor teeth for quick cut through thick and thin material.
- Timber with nails, wood materials, plastics, metal plates, pipes and profiles (including aluminium).

Stock No	Blade Type	Pack Quantity	Price
230080	Progressor	5	8.60
230082	Progressor	100	168.49
Blade Material		Bi-Metal	
Tooth Pitch		2.4 - 5 mm (Progressive)	
Cutting Length		106 mm	
Cutting Capacity		Wood 3 - 65 mm Plastics 3 - 10 mm Metals 3 - 10 mm	

T118G Jigsaw Blades

- Milled and wavy set teeth.
- Very thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230110	Basic for Metal	5	4.68
Blade Material		HSS	
Tooth Pitch		0.7 mm	
Cutting Length		67 mm	
Cutting Capacity		0.5 - 1.5 mm	

T118A Jigsaw Blades

- Milled and wavy set teeth.
- Thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230115	Basic for Metal	5	4.68
Blade Material		HSS	
Tooth Pitch		1.1 - 1.5 mm (Variable Pitch)	
Cutting Length		67 mm	
Cutting Capacity		1 - 3 mm	

T218A Jigsaw Blades

- Milled and wavy set teeth.
- Narrower blade for curved cuts.
- Thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230125	Basic for Metal	5	5.70
Blade Material		HSS	
Tooth Pitch		1.1 - 1.5 mm (Variable Pitch)	
Cutting Length		67 mm	
Cutting Capacity		1 - 3 mm	

T318A Jigsaw Blades

- Milled and wavy set teeth.
- Thin sheet metal, metal pipes and profiles (including aluminium).

Stock No	Blade Type	Pack Quantity	Price
230120	Basic for Metal	5	10.58
Blade Material		HSS	
Tooth Pitch		1.2 mm	
Cutting Length		106 mm	
Cutting Capacity		Sheet 1 - 3 mm Pipe < 65 mm Diameter	

T118B Jigsaw Blades

- Milled and wavy set teeth.
- Medium-thick sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230130	Basic for Metal	5	4.68
Blade Material		HSS	
Tooth Pitch		1.9 - 2.3 mm (Variable Pitch)	
Cutting Length		67 mm	
Cutting Capacity		2.5 - 6 mm	

T118AF Jigsaw Blades

- Long-life blade.
- Virtually unbreakable.
- Milled and wavy set teeth.
- Thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230155	Flexible for Metal	5	6.19
Blade Material		Bi-Metal	
Tooth Pitch		1.1 - 1.5 mm (Variable Pitch)	
Cutting Length		67 mm	
Cutting Capacity		1 - 3 mm	

CONTINUED >

Bosch Jigsaw Blades CONTINUED >

T118BF Jigsaw Blades

- Long-life blade.
- Virtually unbreakable.
- Milled and wavy set teeth.
- Medium-thick sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230170	Flexible for Metal	5	6.19
Blade Material		Bi-Metal	
Tooth Pitch		1.9 - 2.3 mm	
Cutting Length		67 mm	
Cutting Capacity		2.5 - 6 mm	

T318BF Jigsaw Blades

- Long-life blade.
- Virtually unbreakable.
- Milled and side set teeth.
- Medium-thick sheet metal, sandwich materials, steel, aluminium and plastic pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230175	Flexible for Metal	5	12.89
Blade Material		Bi-Metal	
Tooth Pitch		1.8 mm	
Cutting Length		106 mm	
Cutting Capacity		Sheet Metal 2.5 - 6 mm Sandwich Materials 2.5 - 65 mm Pipe < 65 mm Diameter	

T123X Jigsaw Blades

- Progressor teeth for fast cut through thick and thin metal.
- Thin to thick sheet metal, steel and aluminium pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230162	Progressor for Metal	5	5.72
230164	Progressor for Metal	100	112.32
Blade Material		HSS	
Tooth Pitch		1.2 - 2.6 mm (Progressive)	
Cutting Length		74 mm	
Cutting Capacity		Sheet 1.5 - 10 mm Pipe < 30 mm Diameter	

T127D Jigsaw Blades

- Milled and side set teeth.
- Fast cut.
- Non-ferrous sheet metal, plastic and non-ferrous pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230145	Special for Aluminium	5	5.07
Blade Material		HSS	
Tooth Pitch		3 mm	
Cutting Length		74 mm	
Cutting Capacity		Sheet 3 - 15 mm Pipe < 30 mm Diameter	

T227D Jigsaw Blades

- Milled and side set teeth.
- Fast cut.
- Narrower blade for curved cuts.
- Non-ferrous sheet metal, plastic and non-ferrous pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230150	Special for Aluminium	5	6.59
Blade Material		HSS	
Tooth Pitch		3 mm	
Cutting Length		74 mm	
Cutting Capacity		Sheet 3 - 15 mm Pipe < 30 mm Diameter	

T118AHM Jigsaw Blades

- Long-life blade.
- Tungsten carbide tooth strip.
- Thin stainless steel sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230176	Special for Stainless	3	24.02
Blade Material		Tungsten Carbide with Steel Back	
Tooth Pitch		1.1 mm	
Cutting Length		59 mm	
Cutting Capacity		1.5 - 3 mm	

CONTINUED >

Bosch Jigsaw Blades CONTINUED >

T118EHM Jigsaw Blades

- Long-life blade.
- Tungsten carbide tooth strip.
- Medium-thick stainless steel sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230178	Special for Stainless	3	24.02

Blade Material Tungsten Carbide with Steel Back
 Tooth Pitch 1.4 mm
 Cutting Length 59 mm
 Cutting Capacity 2 - 5 mm

T341TC Jigsaw Blades

- Long-life blade.
- Tungsten carbide teeth.
- Plasterboard, fibre cement boards, aerated concrete, glass fibre reinforced plastics.

Stock No	Blade Type	Pack Quantity	Price
230182	Special for Plaster	3	23.23

Blade Material Tungsten Carbide Tipped with Steel Back
 Tooth Pitch 4.3 mm
 Cutting Length 106 mm
 Capacity 5 - 80 mm (Except GFRP 5 - 50 mm)

T130 Riff Jigsaw Blades

- Tungsten carbide grit coated.
- Coarse cut.
- Ceramic wall tiles, cast iron, glass fibre reinforced plastics.

Stock No	Blade Type	Pack Quantity	Price
230180	Special for Ceramics	3	9.89

Blade Material Tungsten Carbide Grit with Steel Back
 Tooth Pitch Grit 30
 Cutting Length 59 mm
 Capacity 5 - 15 mm

T150 Riff Jigsaw Blades

- Tungsten carbide grit coated.
- Fine cut.
- Ceramic wall tiles, cast iron, glass fibre reinforced plastics.

Stock No	Blade Type	Pack Quantity	Price
230181	Special for Ceramics	3	9.89

Blade Material Tungsten Carbide Grit with Steel Back
 Tooth Pitch Grit 50
 Cutting Length 59 mm
 Cutting Capacity 5 - 10 mm

T101A Jigsaw Blades

- Long-life blade.
- Clean cut.
- Ground teeth and taper ground blade.
- Acrylic glass (Perspex), polycarbonate.

Stock No	Blade Type	Pack Quantity	Price
230140	Special for Acrylic	3	6.07

Blade Material HSS
 Tooth Pitch 2 mm
 Cutting Length 74 mm
 Cutting Capacity 2 - 20 mm



Jigsaw Blade Assortments

Bosch blade sets for wood and metal.

Jigsaw Blade Set. Wood, plastic and metal.

Stock No	Blade Type	Pack Quantity	Price
230185	Mixed	3	2.76
1	T111C		
1	T244D		
1	T118B		

Jigsaw Blade Assortments CONTINUED >

Jigsaw Blade Set. Wood, plastic and metal.

Stock No	Blade Type	Pack Quantity	Price
230190	Mixed	10	6.55
2	T101B		
2	T111C		
2	T119B0		
2	T118A		
2	T127D		

Jigsaw Blade Set. Wood and plastic.

Stock No	Blade Type	Pack Quantity	Price
230191	Mixed	10	6.55
2	T101B		
1	T101A0		
2	T111C		
1	T119B0		
2	T144D		
2	T144DP		

Jigsaw Blade Set. Ferrous and non-ferrous metals.

Stock No	Blade Type	Pack Quantity	Price
230192	Mixed	10	7.00
2	T118A		
2	T118B		
2	T118G		
2	T127D		
2	T227D		

Looking for an item not listed?
 Call our Sales Team on 01224 620944

Prices are in pounds sterling
 and exclude VAT





Draper Reciprocating Saw

Draper DIY sabre saw. Features include

- Variable speed.
- Two year guarantee (parts).
- One year guarantee (labour).
- Supplied in carry case.

RCS850VK Sabre Saw

Stock No	Voltage	Power Input	Price
195830	230 V	850 W	52.88
Max Cut in Wood	150 mm		
Max Cut in Pipe	100 mm		
Stroke Speed	0 - 2500 per min		
Stroke Length	29 mm		
Weight	3.7 kg		



Makita Reciprocating Saw

Industrial quality sabre saw. Features include

- Tool-less blade change.
- Variable speed.
- One year guarantee.
- Supplied in carry case.

JR3050T Sabre Saw

Stock No	Voltage	Power Input	Price
192760	110 V	940 W	118.95
192762	240 V	1010 W	118.95
Max Cut in Wood	90 mm		
Max Cut in Pipe	90 mm		
Stroke Speed	0 - 2800 per min		
Stroke Length	28 mm		
Weight	3.2 kg		



Makita Reciprocating Saw

Heavy duty, industrial quality, sabre saw. Features include

- Tool-less blade change.
- Variable speed.
- Adjustable orbital action.
- One year guarantee.
- Supplied in carry case.

JR3060T Sabre Saw

Stock No	Voltage	Power Input	Price
192764	110 V	1100 W	177.45
192766	240 V	1100 W	177.45
Max Cut in Wood	255 mm		
Max Cut in Pipe	130 mm		
Stroke Speed	0 - 2800 per min		
Stroke Length	32 mm		
Vibration Level	17.5 m/s ²		
Weight	4.2 kg		



Makita Reciprocating Saw

Heavy duty, industrial quality, sabre saw with AVT (anti-vibration technology). Features include

- Tool-less blade change.
- Variable speed.
- Adjustable orbital action.
- Ultra low vibration.
- One year guarantee.
- Supplied in carry case.

JR3070CT Sabre Saw

Stock No	Voltage	Power Input	Price
192768	110 V	1400 W	222.95
192770	240 V	1400 W	222.95
Max Cut in Wood	255 mm		
Max Cut in Pipe	130 mm		
Stroke Speed	0 - 2800 per min		
Stroke Length	32 mm		
Vibration Level	8.8 m/s ²		
Weight	4.2 kg		



Bosch Reciprocating Saw

Reliable, industrial quality, sabre saw. Features include

- Ergonomic design with secure grip for both hands.
- SDS blade change system for fast convenient blade changes.
- Variable speed.
- Electronic power control maintains constant blade speed under load.
- Adjustable orbital action.
- High running smoothness.
- Versatile application due to comprehensive range of saw blades.
- Three year guarantee.
- Supplied in carry case.

GSA 800PE Sabre Saw

Stock No	Voltage	Power Input	Price
191740	110 V	800 W	174.00
191742	230 V	800 W	174.00
Max Cut in Wood	220 mm		
Max Cut in Pipe	20 mm		
Stroke Speed	500 - 2600 per min		
Stroke Length	28 mm		
Weight	3.4 kg		



Bosch Reciprocating Saw

Robust, industrial quality, sabre saw. Features include

- Compact design for easy handling.
- Soft-grip handle and housing for secure comfortable grip.
- 360° rotatable scroll collar for convenient working, even in hard-to-reach areas.
- SDS blade change system for fast convenient blade changes.
- Blade can be turned 180° and reinserted in blade holder for easier overhead working.
- Swivel mounted stop for safe support when sawing.
- Variable speed.
- Adjustable orbital action.
- Convenient metal hanging hook.
- Three year guarantee.
- Supplied in carry case.

GSA 900E Sabre Saw

Stock No	Voltage	Power Input	Price
191744	110 V	900 W	141.00
191746	230 V	900 W	141.00
Max Cut in Wood	250 mm		
Max Cut in Pipe	20 mm		
Stroke Speed	0 - 2700 per min		
Stroke Length	28 mm		
Weight	3.4 kg		



Bosch Reciprocating Saw

Heavy duty, industrial quality, sabre saw. Robust construction makes it ideal for tough working conditions. Features include

- Powerful 1200 watt motor.
- Patented drive system for long operation, even under extreme load.
- Soft-grip handle and housing for secure comfortable grip.
- SDS blade change system for fast convenient blade changes.
- Stop can be easily adjusted without tools for precise depth setting and longer blade life.
- Variable speed.
- Adjustable orbital action.
- Swivel cable attachment for strain relief and improved freedom of movement.
- Convenient metal hanging hook.
- Three year guarantee.
- Supplied in carry case.

GSA 1200E Sabre Saw

Stock No	Voltage	Power Input	Price
191748	110 V	1200 W	221.00
191750	230 V	1200 W	221.00
Max Cut in Wood	250 mm		
Max Cut in Pipe	20 mm		
Stroke Speed	0 - 2800 per min		
Stroke Length	19 mm		
Weight	3.7 kg		



Professional Blue Bosch Power Tools must be registered on the Internet within 4 weeks of purchase to qualify for the three year extended warranty



DeWalt Reciprocating Saw

Reliable, industrial quality, sabre saw. Features include

- Soft-grip rubber boot for user comfort.
- Fully insulated metal gearbox.
- 29 mm stroke length for fast efficient cutting.
- Reversible blade for easier cutting in confined areas.
- Shoe design allow greater visibility.
- Multi-application tool that can be used in a wide range of materials.
- Variable speed.
- One year guarantee.
- Supplied in carry case.

DW304PK Sabre Saw

Stock No	Voltage	Power Input	Price
190380	230 V	1050 W	159.00
Max Cut in Wood	280 mm		
Max Cut in Pipe	100 mm		
Stroke Speed	0 - 2400 per min		
Stroke Length	29 mm		
Weight	5.6 kg		



DeWalt Reciprocating Saw

Heavy duty, industrial quality, sabre saw. Features include

- Powerful 1200 watt motor.
- Soft-grip rubber boot for user comfort.
- Keyless blade change for fast convenient blade changes.
- Stainless steel blade clamp for improved reliability.
- 28 mm stroke length for fast efficient cutting.
- Shoe can be easily adjusted without tools for precise depth setting and longer blade life.
- Variable speed.
- One year guarantee.
- Supplied in carry case.

DW310K Sabre Saw

Stock No	Voltage	Power Input	Price
190382	230 V	1200 W	169.00
Max Cut in Wood	300 mm		
Max Cut in Pipe	130 mm		
Stroke Speed	0 - 2600 per min		
Stroke Length	28 mm		
Weight	4.0 kg		



DeWalt Reciprocating Saw

Heavy duty, industrial quality, sabre saw. Features include

- Powerful 1200 watt motor.
- Soft-grip rubber boot for user comfort.
- Keyless blade change for fast convenient blade changes.
- Stainless steel blade clamp for improved reliability.
- 28 mm stroke length for fast efficient cutting.
- Shoe can be easily adjusted without tools for precise depth setting and longer blade life.
- Variable speed.
- Adjustable orbital action.
- One year guarantee.
- Supplied in carry case.

DW311K Sabre Saw

Stock No	Voltage	Power Input	Price
190384	110 V	1200 W	229.00
190386	230 V	1200 W	229.00
Max Cut in Wood	300 mm		
Max Cut in Pipe	130 mm		
Stroke Speed	0 - 2600 per min		
Stroke Length	28 mm		
Weight	4.0 kg		



Bosch Reciprocating Saw Blades

Manufactured by Robert Bosch Ltd, these reciprocating saw blades have the 1/2" universal shank that fits Bosch, Makita, DeWalt, Draper and other manufacturers machines. Blades for metals, wood and special applications are included.

S522AF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Effortless, fine cut.
- Thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230230	Flexible for Metal	5	6.89
Blade Material	Bi-Metal		
Blade Length	100 mm		
Tooth Pitch	1 mm/24 tpi		
Cutting Capacity	0.7 - 3 mm		

S522EF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Thin sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230232	Flexible for Metal	5	6.89
Blade Material	Bi-Metal		
Blade Length	100 mm		
Tooth Pitch	1.4 mm/18 tpi		
Cutting Capacity	1.5 - 4 mm		

Bosch Reciprocating Saw Blades CONTINUED >

S922EF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Thin sheet metal, thin-walled pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230234	Flexible for Metal	5	8.37
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	1.4 mm/18 tpi		
Cutting Capacity	Sheet 1.5 - 4 mm Pipe 5 - 100 mm		

S1122EF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Blade will bend to cut flush against walls.
- Thin sheet metal, thin-walled pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230236	Flexible for Metal	5	10.11
Blade Material	Bi-Metal		
Blade Length	225 mm		
Tooth Pitch	1.4 mm/18 tpi		
Cutting Capacity	Sheet 1.5 - 4 mm Pipe 5 - 175 mm		

S422BF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Narrow blade for curved cuts.
- Medium gauge sheet metal.

Stock No	Blade Type	Pack Quantity	Price
230238	Flexible for Metal	5	9.56
Blade Material	Bi-Metal		
Blade Length	100 mm		
Tooth Pitch	1.8 mm/14 tpi		
Cutting Capacity	1.5 - 6 mm		

S922BF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Fast cut.
- Thick sheet metal, thick-walled pipes and profiles

Stock No	Blade Type	Pack Quantity	Price
230240	Flexible for Metal	5	8.37
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	1.8 mm/14 tpi		
Cutting Capacity	Sheet 3 - 8 mm Pipe 10 - 100 mm		

S1122BF Sabre Saw Blades

- Long-life blade.
- Flexible and break-resistant.
- Fast cut.
- Blade will bend to cut flush against walls.
- Thick sheet metal, thick-walled pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230242	Flexible for Metal	5	10.11
Blade Material	Bi-Metal		
Blade Length	225 mm		
Tooth Pitch	1.8 mm/14 tpi		
Cutting Capacity	Sheet 3 - 8 mm Pipe 10 - 175 mm		

S123XF Sabre Saw Blades

- Long-life blade.
- Fast cut.
- Thin to thick sheet metal, thin to thick-walled pipes and profiles.

Stock No	Blade Type	Pack Quantity	Price
230244	Progressor for Metal	5	9.52
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	1.8 - 3.2 mm/8 - 14 tpi (Progressive)		
Cutting Capacity	Sheet 1 - 8 mm Pipe 5 - 100 mm		

CONTINUED >

CONTINUED >



Bosch Reciprocating Saw Blades CONTINUED >

S1025HF Sabre Saw Blades

- Heavy duty blade for solid tough workpieces.
- Fast cut.
- Stable blade for precise accurate cuts.
- Thick metal plate, thick walled pipes and profiles, solid bar and profiles.

Stock No	Blade Type	Pack Quantity	Price
230246	Heavy for Metal	5	19.53
Blade Material	Bi-Metal		
Blade Length	200 mm		
Tooth Pitch	2.5 mm/10 tpi		
Cutting Capacity	Sheet 3 - 12 mm		
	Pipe 10 - 150 mm		
	Bar 10 - 150 mm		

S3456XF Sabre Saw Blades

- Long-life blade.
- Fast cut.
- Suitable for plunge cuts.
- Wood, wood with nails, chipboards, fibre boards, ferrous and non-ferrous metal sheet profiles and pipes, plastic profiles and pipes.

Stock No	Blade Type	Pack Quantity	Price
230248	Progressor	5	15.15
Blade Material	Bi-Metal		
Blade Length	200 mm		
Tooth Pitch	2.1 - 4.3 mm/6 - 12 tpi (Progressive)		
Cutting Capacity	Wood 5 - 150 mm		
	Sheet Steel 3 - 10 mm		
	Sheet Aluminium 3 - 18 mm		
	Steel Pipe 5 - 150 mm		
	Plastic Pipe 5 - 150 mm		

S611DF Sabre Saw Blades

- Heavy, stable blade for wood and metal.
- Long-life blade.
- Fast cut.
- Suitable for plunge cuts.
- Cuts effortlessly and rapidly through wood and metal window frames.
- Wood, wood with nails, chipboards, fibre boards, solid plastic, plastic profiles and pipes, metal profiles.

Stock No	Blade Type	Pack Quantity	Price
230250	Heavy	5	13.03
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Wood 10 - 100 mm		
	Plastic Pipe 5 - 100 mm		
	Solid Plastic 8 - 50 mm		

S711DF Sabre Saw Blades

- Heavy stable blade for wood and metal.
- Long-life blade.
- Fast cut.
- Narrow blade for curved cuts.
- Wood, wood with nails, chipboards, fibre boards, solid plastic.

Stock No	Blade Type	Pack Quantity	Price
230252	Heavy	5	13.03
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Wood 10 - 100 mm		
	Plastic 8 - 50 mm		

S1411DF Sabre Saw Blades

- Heavy stable blade for wood and metal.
- Long-life blade.
- Fast cut.
- Wood, wood with nails, chipboards, fibre boards, plastics, glass fibre reinforced plastics, aerated concrete.

Stock No	Blade Type	Pack Quantity	Price
230254	Heavy	2	10.82
230256	Heavy	5	21.76
Blade Material	Bi-Metal		
Blade Length	300 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Wood 10 - 250 mm		
	Plastic 5 - 60 mm		
	Aerated Concrete 10 - 250 mm		

CONTINUED >

Bosch Reciprocating Saw Blades CONTINUED >

S610DF Sabre Saw Blades

- Heavy stable blade for wood and metal.
- Aggressive rough cut.
- Suitable for demolition and rescue work.
- Wood, wood with nails, chipboards, fibre boards, plastics, glass fibre reinforced plastics, wood + metal fixtures.

Stock No	Blade Type	Pack Quantity	Price
230258	Heavy	5	15.67
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Wood with Nails 10 - 100 mm		
	Chipboards 10 - 100 mm		
	Wood + Metal 10 - 75 mm		
	Plastic 8 - 50 mm		

S1110DF Sabre Saw Blades

- Heavy stable blade for wood and metal.
- Aggressive rough cut.
- Suitable for demolition and rescue work.
- Wood, wood with nails, chipboards, fibre boards, plastics, glass fibre reinforced plastics, wood + metal fixtures.

Stock No	Blade Type	Pack Quantity	Price
230260	Heavy	5	23.48
Blade Material	Bi-Metal		
Blade Length	225 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Wood with Nails 10 - 175 mm		
	Chipboards 10 - 175 mm		
	Wood + Metal 10 - 150 mm		
	Plastic 8 - 50 mm		

S2345X Sabre Saw Blades

- Fast cut.
- Teeth ground extra sharp.
- Suitable for plunge cuts.
- Universal blade for wood and wooden boards. Also cuts plywood and plastics.

Stock No	Blade Type	Pack Quantity	Price
230262	Progressor for Wood	5	13.88
Blade Material	HCS		
Blade Length	200 mm		
Tooth Pitch	2.5 - 4.3 mm/6 - 10 tpi (Progressive)		
Cutting Capacity	Wood 6 - 150 mm		
	MDF 6 - 60 mm		
	Plastic 6 - 150 mm		

S628DF Sabre Saw Blades

- Long-life blade.
- Suitable for plunge cuts.
- Tear-free cuts in plasterboard.

Stock No	Blade Type	Pack Quantity	Price
230264	Special for Plaster	5	8.58
Blade Material	Bi-Metal		
Blade Length	150 mm		
Tooth Pitch	4.3 mm/6 tpi		
Cutting Capacity	Plasterboard 8 - 100 mm		

S518EHM Sabre Saw Blades

- Long-life blade.
- Stainless steel sheet, profiles and pipe.

Stock No	Blade Type	Pack Quantity	Price
230266	Special for Stainless	2	18.41
Blade Material	Tungsten Carbide		
Blade Length	115 mm		
Tooth Pitch	1.4 mm/18 tpi		
Cutting Capacity	Stainless Steel Sheet 2 - 4 mm		
	Stainless Steel Pipe 2 - 50 mm		

**Looking for an item not listed?
Call our Sales Team on 01224 620944**



Bosch Tandem Saws

Industrial quality, Bosch Tyrannosaws. Features include

- SDS tool-less blade change.
- Sturdy blade guide ensures accurate cuts.
- Suitable for plunge cuts.
- Effortlessly cuts the thickest wooden beams.
- Integrated dust extraction system.
- Three years guarantee.

GFZ 14-35A Single Speed Saw

Stock No	Voltage	Power Input	Price
191800	110 V	1400 W	178.80
Stroke Speed	2500 per min		
Stroke Length	50 mm		
Weight	5.2 kg		

GFZ 16-35AC Variable Speed Saw

Stock No	Voltage	Power Input	Price
191810	240 V	1600 W	175.00
Stroke Speed	850 - 2500 per min		
Stroke Length	50 mm		
Weight	5.2 kg		

Replacement Blades. HCS, for cutting wood.

Stock No	Length	Pack Quantity	Price
230280	350 mm	2	18.11

Replacement Blades. TCT, for cutting aerated concrete and other abrasive materials.

Stock No	Length	Pack Quantity	Price
230282	350 mm	2	36.52



DeWalt Alligator® Power Saw

Industrial quality power saw, with two saw blades running in opposite directions to keep workpiece stable during cutting. Features include

- Ergonomic design with soft-grip handles for comfortable handling and less fatigue.
- Fast convenient blade changing system.
- Magnesium housing for long service life.
- Long life, low vibration, double blade system.
- Lock-off switch and blade brake for added safety.
- Variable speed.
- Versatile machine that will cut wood, drywall, plastic and poroton blocks.
- One year guarantee.

DW390 Alligator Saw

Stock No	Voltage	Power Input	Price
190388	110 V	1350 W	219.00
190390	230 V	1350 W	219.00
Blade Length	275 mm		
Stroke Length	38 mm		
No Load Stroke Rate	0 - 3300 per min		
Blade Stop	3 seconds		
Weight	4.0 kg		

Drywall Cutting Blade. HSS blade for cutting drywall.

Stock No	Model No.	Overall Length	Price
230290	DT 2960	360 mm	21.49

CONTINUED >

DeWalt Alligator® Power Saw CONTINUED >

Woodcutting Blade. HSS blade for cutting hardwood, softwood and plywood.

Stock No	Model No.	Overall Length	Price
230291	DT 2961	360 mm	14.34

Woodcutting Blade. TCT blade for cutting MDF, plywood and chipboard.

Stock No	Model No.	Overall Length	Price
230292	DT 2962	360 mm	28.64

Block Cutting Blade. TCT blade for cutting building blocks and poroton bricks.

Stock No	Model No.	Overall Length	Price
230293	DT 2963	360 mm	28.64



Prices are in pounds sterling
and exclude VAT





Draper Electric Chainsaw

From the Draper Garden Power range. Good quality electric saw, made in Europe. Features include

- Oregon Combination, anti-vibration, safety chain.
- Automatic chain lubrication.
- Lock-off safety switch.
- Supplied with 4 metres of cable.
- Supplied with blade protection sheath.
- One year guarantee.

CS18350 350mm Chainsaw

Stock No	Voltage	Power Input	Price
195840	230 V	1700 W	82.34
Bar Length	350 mm		
Chain Speed	9 m/sec		
Weight	4.5 kg		

CS18402 400mm Chainsaw. Extra feature

• Mechanical safety brake.

Stock No	Voltage	Power Input	Price
195850	230 V	1700 W	85.87
Bar Length	400 mm		
Chain Speed	9 m/sec		
Weight	4.6 kg		

Replacement Chains. Anti-vibration safety chain.

Stock No	Size	Fits Model No.	Price
195845	350 mm	CS18350	20.02
195855	400 mm	CS18402	20.75



Draper Electric Chainsaw

From the Draper Garden Power range. Good quality electric saw, made in Europe. Features include

- Quick and convenient tool-less blade change and blade adjustment.
- Oregon Combination, anti-vibration, safety chain.
- Automatic chain lubrication.
- Lock-off safety switch.
- Mechanical safety brake.
- Sprocket nose bar.
- Supplied with 4 metres of cable.
- Supplied with blade protection sheath.
- One year guarantee.

CS20401A 400mm Chainsaw

Stock No	Voltage	Power Input	Price
195858	230 V	2000 W	126.29
Bar Length	400 mm		
Chain Speed	9 m/sec		
Weight	4.3 kg		

Replacement Chains. Anti-vibration safety chain.

Stock No	Size	Fits Model No.	Price
195855	400 mm	CS20401A	20.75



Makita Electric Chainsaw

Trade quality electric saw. Features include

- Quick and convenient tool-less blade change and adjustment
- Automatic chain lubrication.
- Soft-grip back handle
- Lock-off safety switch
- Sprocket nose bar.
- Supplied with blade protection sheath.
- One year guarantee.

UC3520A 350mm Chainsaw

Stock No	Voltage	Power Input	Price
192778	240 V	1800 W	91.00
Bar Length	350 mm		
Chain Type	092		
Weight	3.7 kg		

UC4020A 400mm Chainsaw

Stock No	Voltage	Power Input	Price
192779	240 V	1800 W	94.90
Bar Length	400 mm		
Chain Type	092		
Weight	3.7 kg		



Makita Electric Chainsaw

Industrial quality electric saw. Features include

- Powerful 1800 watt motor.
- Superbly balanced for total control.
- Automatic chain lubrication.
- Inertia safety brake (operates when the power is cut).
- Automatic chain brake brings the chain to a complete stop in a fraction of a second (operates when the blade jams).
- Sprocket nose bar.
- Supplied with 10 metre cable extension.
- Supplied with blade protection sheath.
- One year guarantee.

UC3001A 300mm Chainsaw

Stock No	Voltage	Power Input	Price
192780	240 V	1800 W	140.40
Bar Length	300 mm		
Chain Speed	13.3 m/sec		
Chain Type	092		
Weight	4.2 kg		

UC3530A 350mm Chainsaw

Stock No	Voltage	Power Input	Price
192782	110 V	1800 W	141.70
192784	240 V	1800 W	141.70
Bar Length	350 mm		
Chain Speed	13.3 m/sec		
Chain Type	092		
Weight	4.2 kg		

Makita Electric Chainsaw CONTINUED >

UC4030A 400mm Chainsaw

Stock No	Voltage	Power Input	Price
192786	110 V	1800 W	149.50
192788	240 V	1800 W	149.50
Bar Length	400 mm		
Chain Speed	13.3 m/sec		
Chain Type	092		
Weight	4.2 kg		

Replacement Chains. Semi-chisel saw-chain loops.

Stock No	Size	Fits Model No.	Price
192789	300 mm	UC 3001A	11.60
192790	350 mm	UC 3501A	14.80
192791	400 mm	UC 4001A	16.00

Guide Bars. Sprocket nose replacement guide bars.

Stock No	Size	Fits Model No.	Price
192792	300 mm	UC 3001A	14.80
192793	350 mm	UC 3501A	16.00
192794	400 mm	UC 4001A	17.20



Chainsaw Oil

Bio-degradable oil for all electric and petrol chainsaws.

Stock No	Volume	Price
195860	1 Litre	8.26
195865	5 Litres	26.98



Draper Electric Hedge Trimmer

Reliable machine from the Draper Garden Power range. Features include

- Precision ground, fully hardened, dual action blades.
- Two-handed safety switch.
- Transparent hand guard.
- Mechanical blade brake.
- Supplied with 10 metres of cable.
- Supplied with blade protection sheath.
- One year guarantee.

HT5053 530mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
195820	230 V	500 W	47.04
Blade Length	530 mm		
Max Cutting Diameter	14 mm		
Stroke Speed	1600 per min		
Stopping Time	0.5 sec		
Weight	3.5 kg		

HT5863 600mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
195821	230 V	580 W	49.35
Blade Length	600 mm		
Max Cutting Diameter	20 mm		
Stroke Speed	1600 per min		
Stopping Time	0.5 sec		
Weight	4.3 kg		

CONTINUED >



Draper Electric Hedge Trimmer

Heavy duty machine from the Draper Garden Power range. Features include

- Powerful 600 watt motor.
- Precision ground, fully hardened, dual action blades.
- Patented, three position handle.
- VDE approved safety switch.
- Transparent hand guard.
- Quick-stop mechanical blade brake.
- Supplied with 10 metres of cable.
- Supplied with blade protection sheath.
- One year guarantee.

HT6060 600mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
195822	230 V	600 W	130.53
Blade Length	600 mm		
Max Cutting Diameter	27 mm		
Stroke Speed	2400 per min		
Stopping Time	0.02 sec		
Weight	3.6 kg		



Draper Cordless Hedge Trimmer

Cordless machine from the Draper Garden Power range. Features include

- Approximately 35 minutes cutting time from fully charged battery.
- Precision ground, fully hardened, single action blades.
- Two-handed safety switch.
- Transparent hand guard.
- Supplied with battery charger and one battery.
- Supplied with blade protection sheath.
- One year guarantee.

HTC18 Cordless Hedge Trimmer

Stock No	Battery Voltage	Charge Time	Price
195823	18 V	5 Hours	71.22
Blade Length	460 mm		
Max Cutting Diameter	12 mm		
Stroke Speed	1500 per min		
Battery Capacity	1.7 Ah		
Weight	2.9 kg		

Replacement Battery

Stock No	Description	Price
195824	18 V 1.7 Ah Spare Battery	30.60



Makita Electric Hedge Trimmer

Robustly constructed, trade quality, hedge trimmer.

Features include

- Double action, double sided blades.
- Large transparent hand guard.
- Electronic blade brake.
- Cable retainer on both sides of handle casing.
- Supplied with 10 metre extension cable.
- Supplied with blade protection cover.
- One year guarantee.

UH4050 400mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192752	240 V	500 W	102.70
Blade Length	400 mm		
Stroke Speed	1500 per min		
Stopping Time	0.5 sec		
Weight	3.3 kg		

UH4850 480mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192753	240 V	500 W	107.25
Blade Length	480 mm		
Stroke Speed	1500 per min		
Stopping Time	0.5 sec		
Weight	3.4 kg		

UH5550 550mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192754	240 V	500 W	111.80
Blade Length	550 mm		
Stroke Speed	1500 per min		
Stopping Time	0.5 sec		
Weight	3.5 kg		

UH6350 630mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192755	240 V	500 W	116.35
Blade Length	630 mm		
Stroke Speed	1500 per min		
Stopping Time	0.5 sec		
Weight	3.6 kg		



Makita Electric Hedge Trimmer

Heavy duty, industrial quality, hedge trimmer. Features include

- Powerful 600 watt motor.
- Easy change carbon brushes.
- High performance, double action, double sided, cutter blades.
- Heavy duty blade mountings.
- Sturdy blade and blade tip guard with integrated branch guide.
- Innovative handle system has four hand positions for safe controlled cutting.
- Handle system gives extra long reach.
- Large transparent hand guard.
- Quick-stop mechanical blade brake.
- Supplied with 10 metre extension cable.
- Supplied with blade protection sheath.
- One year guarantee.

UH4540 450mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192756	240 V	600 W	103.35
Blade Length	450 mm		
Stroke Speed	1500 per min		
Stopping Time	0.05 sec		
Weight	3.9 kg		

UH5540 550mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192757	240 V	600 W	153.40
Blade Length	550 mm		
Stroke Speed	1500 per min		
Stopping Time	0.05 sec		
Weight	4.0 kg		

UH6540 650mm Hedge Trimmer

Stock No	Voltage	Power Input	Price
192758	240 V	600 W	161.20
Blade Length	650 mm		
Stroke Speed	1500 per min		
Stopping Time	0.05 sec		
Weight	4.1 kg		



Stock No 195823